



# **30/500 STANDING SEAM**

# STEEL SHEETING

Cladco's standing seam sheets offer a sleek, modern finish with a hidden-fix profile, ideal for both roofing and wall cladding. Manufactured from 0.7mm SSAB Nordic steel and coated in GreenCoat® Pural BT, they're CE-marked and fire-rated for added assurance. Available with or without ribs and in lengths up to 8m, the sheets provide excellent weather resistance and a clean, contemporary appearance.

# **AVAILABLE COATINGS**



# **AVAILABLE COLOURS**







SLATE GREY

ROOFING	
<b>SPECIFICATIONS</b>	

Available Thickness	0.7mm - Perfect for roofing and cladding
Minimum Pitch	6°
Standard Width (When Lapped)	500mm
Minimum Length	750mm
Maximum Length	8m (up to 12m on request)
Weight	5.11kg/m²

# ACCESSORIES AVAILABLE

GRP Roof Lights	No
Drip Stop Available	No
Foam Fillers	Yes

#### Ribbed Vs. Non-Ribbed: What's The Difference?

- Ribbed Profile: Reduces rain noise and improves panel stability—ideal for exposed or high-wind areas.
- Non-Ribbed Profile: Offers a sleek, modern aesthetic—perfect for contemporary architectural projects.











# **MATERIALS**

Manufactured from 0.7mm SSAB Nordic steel with integrated ribs and a GreenCoat® Pural BT coating for enhanced strength, rigidity, and performance.



#### **SURFACES**

The Pural BT
coating provides
excellent resistance
to weathering, UV
exposure, and surface
scratching—ideal for
long-term use.



# **ACCESSORIES**

A full range of matching flashings is available to ensure a seamless, weatherproof, and professional finish for your installation



# **LOW MAINTENANCE**

GreenCoat® Pural BT provides a durable, low-maintenance finish, resisting dirt, fading, and corrosion for long-lasting visual and functional performance.




# LONGEVITY

With a lifespan of up to 40 years in suitable conditions, the durable surface ensures lasting protection with minimal degradation over time.



#### CONTEMPORARY LOOK WITH NON RIBBED DESIGN

Non ribbed sheets features a smooth, flat profile that creates a sleek and refined appearance, making them an ideal choice for contemporary architectural designs where a clean, modern aesthetic is desired



Please note: Images are for illustration purposes only. Actual products may vary slightly from those shown.











# **MATERIALS**

Manufactured from 0.7mm SSAB Nordic steel with integrated ribs and a GreenCoat® Pural BT coating for enhanced strength, rigidity, and performance.



#### **SURFACES**

The Pural BT
coating provides
excellent resistance
to weathering, UV
exposure, and surface
scratching—ideal for
long-term use.



#### **ACCESSORIES**

A full range of matching flashings is available to ensure a seamless, weatherproof, and professional finish for your installation.



# LOW MAINTENANCE

GreenCoat® Pural BT provides a durable, low-maintenance finish, resisting dirt, fading, and corrosion for long-lasting visual and functional performance.




# LONGEVITY

With a lifespan of up to 40 years in suitable conditions, the durable surface ensures lasting protection with minimal degradation over time.



#### REDUCED NOISE WITH RIBBED DESIGN

Integrated ribs help to minimise the "drumming" sound that can occur during heavy rainfall or strong winds, providing a quieter, more comfortable environment inside the building.



Please note: Images are for illustration purposes only. Actual products may vary slightly from those shown.









# **30/500 STANDING SEAM SKU**

Coating and Colour	With Ribs	Without Ribs
GreenCoat® Pural BT, Nordic Night Black	RSM7RBL	RSM7BL
GreenCoat® Pural BT, Slate Grey	RSM7RSL	RSM7SL
GreenCoat® Pural BT, Tile Red	RSM7RTR	RSM7TR
GreenCoat® Pural BT, Silver Fir Green	RSM7RFG	RSM7FG
GreenCoat® Pural BT, Nordic Night Black With Eaves Lip	RSM7RBLE	RSM7BLE
GreenCoat® Pural BT, Slate Grey With Eaves Lip	RSM7RSLE	RSM7SLE
GreenCoat® Pural BT, Tile Red With Eaves Lip	RSM7RTRE	RSM7TRE
GreenCoat® Pural BT, Silver Fir Green With Eaves Lip	RSM7RFGE	RSM7FGE

# MULTI USE SHEETS FOR ROOFING AND CLADDING

At Cladco, most of our metal sheets are designed for both roofing and cladding applications.






**CLADDING WITH GABLE END** 

MONO RIDGE
PLASENGE
PLASENGE
PLASE
BACKER PLATE

\*\*\*SPET\*\*

\*\*\*TORIGE
\*\*

APEX ROOF



MONO PITCH ROOF

**LEAN-TO ROOF** 







#### MADE IN BRITAIN

Cladco is a proud member of Made in Britain—the official collective mark for UK manufacturers who meet strict criteria for domestic production.

As part of this trusted network, we are licensed to use the Made in Britain trademark across our materials, highlighting our ongoing commitment to UK-based manufacturing, quality, and traceability.

This mark is more than just a symbol—it represents a national movement to support sustainable British industry, protect consumers, and champion local businesses. Only verified members can display the registered trademark, offering confidence that our products bearing the mark are genuinely made in Great Britain or Northern Ireland.





#### CUSTOMER BENEFITS OF BUYING FROM A MADE IN BRITAIN MEMBER

# **Trusted Quality, Recognised Nationwide**

We're licensed to use the official Made in Britain trademark—giving you confidence that our products meet strict UK manufacturing standards and quality benchmarks. When you see the mark, you know you're buying trusted, UK-made goods.

#### **Supporting British Industry & Local Jobs**


By choosing Cladco, you're supporting ethical manufacturing, UK-based jobs, and transparent, traceable supply chains. These values matter—not just to us, but to customers who care about where and how their products are made.

#### Easier to Find, Easier to Trust

We're listed in the official Made in Britain Member Directory with live contact info, location pin, and verified branding—making it easier for customers and trade partners to connect with a trusted UK supplier.

#### **Products Built to Last**

The Made in Britain mark is your reassurance that our products are built with care, comply with UK regulations, and are made to perform. It's a symbol of quality and durability you can rely on.













# **GREENCOAT® PURAL BT - CHOICE OF COATINGS**

GreenCoat® Pural BT is a premium 0.7mm roofing finish offering outstanding resistance to UV, corrosion, and weathering. With excellent scratch resistance and formability—even down to -15°C—it supports year-round installation with ease.

This durable, bio-based coating is available in a range of attractive colours, including silver fir green and slate grey, allowing you to create a roof that complements its surroundings while delivering long-lasting performance.



# **GREENCOAT® PURAL BT COATING CHART**



Tile Red RAL8004



Nordic Night Black RAL9005



Silver Fir Green RAL6021



Slate Grey RAL7016



Is a premium Swedish steel finish using biobased technology. Offers excellent durability, corrosion protection and a low-gloss, tile-like appearance.



#### **UV RESISTANCE**

Highly UV-resistant. Maintains colour and surface integrity with minimal fading or chalking.



#### **HEAT RESISTANCE**

Performs well in hot or cold climates. Coating remains stable under sustained temperature extremes.



#### **DURABILITY**

Pural BT offers high levels of durability with a robust matte finish. The bio-based coating resists mechanical wear and scratching better than standard polyester paint.





#### **LONGEVITY**

Low-maintenance coating with a service life exceeding 40 years. Often outlasts plastisol in long-term performance.








#### STANDING SEAM FLASHINGS

Our standing seam flashings, including ridges, corner barges, drip trays and more, are available in matching GreenCoat® Pural BT colours.

Cladco flat sheets can also be used to create bespoke flashings or for general-purpose use on gates, walls or roofs, ensuring a seamless, high-quality finish.




# STANDING SEAM SHEETS WITH EAVES LIP

For roof-only applications, standing seam sheets with a prefolded eaves lip are essential. This feature ensures a secure, compatible connection with the eaves flashing, helping to form a watertight seal at the base of the roof.

Once the sheets are in position, use an eaves closer tool to fold the bottom of the sheet over the flashing for a neat, weatherproof finish.

If you're working with ribbed standing seam sheets, take care not to apply excessive pressure during this step, as it may flatten the ribs and compromise the final appearance and structural integrity.









#### HANDLING & STORAGE INSTRUCTIONS

To ensure safety and maintain the condition of your sheets, please follow the guidelines below when handling and storing:

- Always wear protective gloves and sturdy footwear

   sheet edges can be sharp and may cause injury if
   mishandled
- Use two-person lifting where safe and appropriate, particularly in windy or exposed environments
- Store sheets indoors where possible, away from moisture and open doorways
- If outdoor storage is unavoidable, use a breathable cover and elevate sheets off the ground to prevent water damage, staining, or corrosion
- These steps help preserve product quality and ensure safer handling on-site.





#### AFTERCARE ADVICE

At Cladco, we recommend carrying out simple, routine checks to keep your roofing sheets performing at their best. While our materials are designed for durability, a little ongoing care can help preserve their appearance and extend their lifespan—without the need for intensive maintenance.

- Inspect your roof at least once a year
- Clear away leaves, moss, and debris
- Check that fixings and flashings remain secure
- Regular aftercare helps protect your investment and ensures long-term performance in all conditions.

#### **CUSTOMER SUPPORT**

At Cladco, we're committed to providing excellent service alongside our high-quality, great-value products.

Whether you need help selecting the right roofing sheet, choosing the correct flashing, or understanding installation steps, our experienced team is here to support you. We also offer free samples, installation guides, and detailed data sheets to help you get the best results from your project.

- Friendly, expert advice at every stage
- Comprehensive installation guides and technical resources
- Call us on 01837 659 901 we're here to help








# **INSTALLATION GUIDES**

Correct installation is key to a long-lasting, weatherresistant finish. Our easy-to-follow guides walk you through each step—from sheet alignment and fixing methods to correct flashing placement.

Whether you're a first-time DIYer or a seasoned tradesperson, our Help & Advice section provides the confidence and clarity you need to complete your project properly.

#### Scan the QR codes below to access:

- Roofing Sheet Installation Guide
- · Flashings Installation Guide
- Roofing Help & Advice









# **PRODUCT ACCESSORIES**



BREATHABLE MEMBRANE



CLADCO HIGH STRENGTH ADHESIVE SEALANT



PURAL BT TOUCH UP PAINT



**SAFETY GLOVES** 



C PURLIN



**Z PURLIN** 



**FOAM FILLERS** 



ANNULAR RING NAILS





